



TECHNICAL SUMMARY



COOL xs COOL SMART SMART xL SMART + SMART xL+ CLASSIC DREAM

	COOL xs	COOL	SMART	SMART xL	SMART +	SMART xL+	CLASSIC	DREAM		
Production	Cold Drinks	Cold Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Production	
Refrigerant Gas	R134a	R134a	R290	R290	R290	R290	R290	R290	Refrigerant Gas	
Volts	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	Volts	
Production Speed (25°C Room temperature)	Product ready in 110 - 120 minutes	Product ready in 130 - 190 minutes	Product ready in 90 minutes	Product ready in 110 minutes	Product ready in 90 minutes	Product ready in 110 minutes	Product ready in 90 minutes	Product ready in 20 minutes	Production Speed (25°C Room temperature)	
Capacity	-	18 L (1 x 18L)	12 L (1 x 12L)	15 L (1 x 15L)	12 L (1 x 12L)	15 L (1 x 15L)	-	25L (7 Cylinder + 18L Hopper)	Capacity	
Dimensions W x D x H	-	21.5 x 60 x 85 cm	21.5 x 60 x 75 cm	21.5 x 60 x 85 cm	21.5 x 60 x 75 cm	21.5 x 60 x 85 cm	-	40 x 80 x 85 cm	Dimensions W x D x H	
Feet distance W x D	-	21.5 x 34 cm	21.5 x 34 cm	21.5 x 34 cm	21.5 x 34 cm	21.5 x 34 cm	-	40 x 47 cm	Feet distance W x D	
Weight	-	25 kg	25 kg	25 kg	25 kg	25 kg	-	100 kg	Weight	
Watt	-	170 W	350 W	350 W	350 W	350 W	-	2000 W	Watt	
Amp	-	1.2 A	2.5 A	2.5 A	2.5 A	2.5 A	-	8.5 A	Amp	
Electrical Consumption (At 25°C Room temperature)	-	Cooling: 170 W/h Maintenance: 80 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	-	Freezing: 1600 W/h Maintenance: 140 W/h Storage: 95 W/h	Electrical Consumption (At 25°C Room temperature)	
Capacity	15 L (2 x 7.5 L)	36 L (2 x 18L)	24 L (2 x 12L)	30 L (2 x 15L)	24 L (2 x 12L)	30 L (2 x 15L)	24 L (2 x 12L)	-	Capacity	
Dimensions W x D x H	21.5 x 60 x 72 cm	43 x 60 x 85 cm	43 x 60 x 75 cm	43 x 60 x 85 cm	43 x 60 x 75 cm	43 x 60 x 85 cm	45.5 x 62 x 90 cm	-	Dimensions W x D x H	
Feet distance W x D	21.5 x 34 cm	43 x 34 cm	43 x 34 cm	43 x 34 cm	43 x 34 cm	43 x 34 cm	42 x 34 cm	-	Feet distance W x D	
Weight	22 kg	40 kg	50 kg	50 kg	50 kg	50 kg	56 kg	-	Weight	
Watt	190 W	180 W	700 W	700 W	700 W	700 W	750 W	-	Watt	
Amp	1.3 A	1 A	3.5 A	3.5 A	3.5 A	3.5 A	4.5 A	-	Amp	
Electrical Consumption (At 25°C Room temperature)	Cooling: 190 W/h Maintenance: 115 W/h	Cooling: 180 W/h Maintenance: 100 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 300 W/h Storage: 30 W/h	-	Electrical Consumption (At 25°C Room temperature)
Capacity	-	54 L (3 x 18L)	36 L (3 x 12L)	45 L (3 x 15L)	36 L (3 x 12L)	45 L (3 x 15L)	36 L (3 x 12L)	-	Capacity	
Dimensions W x D x H	-	65 x 60 x 85 cm	65 x 60 x 75 cm	65 x 60 x 85 cm	65 x 60 x 75 cm	65 x 60 x 85 cm	67 x 62 x 90 cm	-	Dimensions W x D x H	
Feet distance W x D	-	65 x 34 cm	65 x 34 cm	65 x 34 cm	65 x 34 cm	65 x 34 cm	59 x 34 cm	-	Feet distance W x D	
Weight	-	60 kg	75 kg	75 kg	75 kg	75 kg	70 kg	-	Weight	
Watt	-	220 W	1200 W	1200 W	1200 W	1200 W	1000 W	-	Watt	
Amp	-	1.3 A	5.5 A	5.5 A	5.5 A	5.5 A	5.5 A	-	Amp	
Electrical Consumption (At 25°C Room temperature)	-	Cooling: 220 W/h Maintenance: 120 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	-	Electrical Consumption (At 25°C Room temperature)

1 Tank

1 Tank

2 Tanks

2 Tanks

3 Tanks

3 Tanks



FEATURES COMPARISON



COOL XS COOL SMART SMART XL SMART + SMART XL+ CLASSIC DREAM

	COOL XS	COOL	SMART	SMART XL	SMART +	SMART XL+	CLASSIC	DREAM	
TANK & TAP & LID									TANK & TAP & LID
Tap	Touchless	Smart	Push & Pull	Smart	Push & Pull	Smart	Push & Pull	Smart	Tap
Easy Bayonet Tap disassembly	X	✓	X	✓	X	✓	X	✓	Easy Bayonet Tap disassembly
Hinged Lid	X	✓	X	✓	X	✓	✓	X	Hinged Lid
LIGHTING									LIGHTING
Light	X	X	X	X	✓	✓	✓	✓	Light
Different colour options	X	X	X	X	✓	✓	X	✓	Different colour options
CUSTOMIZATION									CUSTOMIZATION
Easy customization with stickers	✓	✓	✓	✓	✓	✓	X	✓	Easy customization with stickers
Lid Flavour Tag	X	X	X	X	✓	✓	X	X	Lid Flavour Tag
PERFORMANCE									PERFORMANCE
Vertical Ventilation System (Zero Clearance Space)	✓	✓	✓	✓	✓	✓	✓	✓	Vertical Ventilation System (Zero Clearance Space)
Cyclic Reverse	X	X	✓	✓	✓	✓	X	X	Cyclic Reverse
Mixer with variable speed	X	X	✓	✓	✓	✓	X	✓	Mixer with variable speed
CONTROL									CONTROL
Remote Control APP	X	X	X	X	✓	✓	X	X	Remote Control APP
Quick Defrost Mode (75% Faster)	X	X	X	X	✓	✓	✓	X	Quick Defrost Mode (75% Faster)
Automatic Modes	X	X	✓	✓	✓	✓	✓	✓	Automatic Modes
Independent Bowl Control	X	X	✓	✓	✓	✓	✓	✓	Independent Bowl Control

Tank & Tap Selection



P&P
12L slush / 15L Cold drinks
COOL / CLASSIC / SMART



SMART
15L slush / 18L Cold drinks
COOL / SMART



P&P Selfservice
12L slush / 15L Cold drinks
COOL / CLASSIC / SMART




SMART Touchless
12L slush / 15L Cold drinks
COOL / SMART




P&P Touchless
12L slush / 15L Cold drinks
COOL / CLASSIC / SMART

Bowl Light Remote Control included with this option



Basic Light
Each side
COOL / SMART



Full Light
Each Tank
COOL / SMART

Lid Customization



Flavour Tag
Blackboard texture
COOL / SMART



Customized
Put your logo
COOL / SMART

Mixing systems



Blender
Frappés, milkshakes & smoothies
DREAM



Mixer
Prevents product layering
DREAM

Panel Customization



FRONT
Put your logo
COOL / CLASSIC / SMART / DREAM



LATERALS
Put your logo
COOL / CLASSIC / SMART / DREAM



REAR
Put your logo
COOL / CLASSIC / SMART


Available textures



Golden Ebony
CT35



Dark Oak
F5



Ash black Marble
U50



Mat white Marble
NE31



Black Laser
Z2

Hot Gas

Remote Control included with this option

Quick Defrost
Defrost your Slush 75% Faster
SMART



Remote control

Control your machine with your smartphone
SMART



This system allows you to heat the product in the tank until it melts, to make it slushy again and achieve the same consistency of **freshly made slush** even after many hours in motion.



www.v-air.es